Name				
MID OF TERM II BIOLOGY EXAMINATION				
Senior five.				
P530/3.				
Biology.				
Practical.				
July 2019.				
2 ½ hours.				
Instructions.				
Answer all the questions in the spaces provided.				
Use well sharpened pencil for drawings.				
Untidy work shall not be marked.				

Question.	Marks.
1	
2	
Total	

For teacher's use only.

A freshly killed specimen W is provided. (a) (i) Classify it into the following taxa with two reasons each.
Phylum
Reasons
Order
Reasons

(i)	Describe	<i>features</i> on its	head region ι	ised to clas	ssify the spec	cimen into it
	class.			(03 ma	arks)	
ii)	Carefully	severe off th	e head of the	specimen	from its bod	y. Draw an
	label the	head from the	anterior view.		(5marks)

iii) Carefully cut the left compound eye together with the left antenna. Mount it on a microscope. Using low power magnification, observe them.Make an accurate drawing of the compound eye and the antenna from the

base. Do not label. (4marks)

iv)	Describe the units of compound eye as they appear under low power	ər
	objective lens of a microscope. (3 marks)	
		• •
v) G	ve the suitability of the units of the compound eye to its function. (3marks)	

 	• • • • • • • • • • • • • • • • • • • •	

(d) Dissect the specimen by cutting along the left edge of the cuticles to display the structures on the ventral cuticle. Displace the alimentary canal to the left side. Draw and label. (15 marks)

- Solutions P₁, P₂ and P₃ are extracts of different plant organs. Carry out the following tests in tables 1, 2, 3 and 4 to determine the nutrients of each extract.
 Record your tests, observations and deductions in the tables below.
 - (i) Benedict's test

Table 1

Test	Observation	Deduction.
	P ₁	
	P ₂	
	P ₃	

(ii) Biuret test.

Table 2

Test	Observation	Deduction.
	P ₁	
	P ₂	

P ₃	

(iii) lodine test.

Table 3.

Test	Observation	Deduction.
	P ₁	
	P ₂	
	P ₃	

(iv) DCPIP test

Table 4.

Test	Observation	Deduction.
	P ₁	

P ₂	
P ₃	

(b) From your results suggest the plant part(s) from which t	the extracts were
obtained.	

(c) Remove the alimentary canal, and cut out the foregut and midgut. Put both the mid gut and foregut in a mortar, grind into a fine paste and add 30 cm³ of water. Stir, leave to settle and decant to obtain **extract C**. Divide the extract equally into three test tubes labeled as 1, 2 and 3.

To test tube 1, add 3cm^3 of solution P_1 , to test tube 2, and 3cm^3 of solution P_2 and to test tube 3, add 3cm^3 of solution P_3 . Incubate the test tubes at 35 - 40°C for 20 minutes. After incubation, carry out the tests in Table 5 below on the contents of each test tube to establish the effect of **extract** C on solutions P_1 , P_2 , and P_3 .

(i) Record your observations in the table.

Table 5

Test tube	Obser	Observations after 20 minutes													
	Benedicts test	lodine test	DCPIP												
1															
Extract C															
+															
3 cm ³ P1															
2															
Extract C															
+															
3 cm ³ P2															
3.															
Extract C															
+															
3cm ³ P3															

(ii) Explain your results of the tests with contents of

Test to	ube 1.
Test to	ube 2 .
Test to	ube 3 .
(iii) From	your results in (c) (i), state two properties of the active substances in
extract C	

٠.	 	٠.	٠.	 			 ٠.	٠.	٠.	٠.	٠.	٠.	٠.	 	٠.	 ٠.	 	٠.	٠.		٠.	 	 ٠.		 	 	 	٠.	٠.	٠.	 	٠.	٠.	 	 	٠.	